

Get Organized!

Helpful Facts About Construction Specification Division Sections
And Modular Vaults/Vault Doors



Where are Modular Vaults Referenced?

AIA Master Systems, MASTERSPEC, Section 13041

What Division Sections Are Best For Modular Vault Panel Systems,
Federal Specification AA-V-2737?

Panel systems can be assigned in several ways:

- *Division 10000* *Special Equipment*
- *Division 11020* *Security and Bank Equipment*
- *Division 13000* *Special Construction*

What Division Sections Apply to GSA Approved Class 5 Vault Doors,
Federal Specification AA-D-600D?

- *Division 083459*
- *Division 110200*

What is the Difference Between a Class 5V
and 5A Vault Door?

- *Class 5 V (Security) for the storage of classified information, providing covert, surreptitious and forced entry protection.*
- *Class 5 A (Armories) for the storage of weapons, providing covert and forced entry protection.*

Do GSA Class 5 Vault Doors, Federal Specification AA-D-600D, Provide Fire Protection?

No. Loss from fire is not considered a threat. The Class 5 Vault Door protects against forced entry tool attack and other sophisticated techniques. Compromised security is considered a higher threat. It is better to have items destroyed than survive a fire.

Why is an Insulated Vault Door Built to U.L. Standard 155 Not Appropriate for Weapons
or Classified Storage?

U.L. Standard 155 doors are designed to protect paper items against loss from fire and deter damage from water. All U.L. fire rated doors carry the lowest level of burglary protection, Class B Mercantile Burglary Insurance Rating.